



A limited workspace does not have to mean that what you can expect from a combined machine is also “limited.” On the contrary, the Hammer C3 31 combination machine satisfies the greatest demands, in the smallest space - with perfect results.

The C3 31 combi offers everything the enthusiast desires:

- Sensational value for money
- Solid cast iron tables and units
- Innovative machine technology
- Fantastic standard features
- Quick changeover times
- User friendly performance
- Quality and precision that will last for years and years

Please note machine images may show optional equipment.

#### **Auckland**

19 Allens Road, East Tamaki  
Auckland 2013  
Ph (09) 271 7700  
Fax (09) 271 7728

#### **Christchurch**

159 Ferry Road, Waltham  
Christchurch 8011  
Ph (03) 366 2013  
Fax (03) 366 2021

**Call free: 0800 522 577**

Copyright © 2024 W & R Jack Limited.





## **Silent-POWER cutterblock**

For tear-free results, low noise and twenty times the usable blade life, Silent-POWER cutterblock offers outstanding value.

Also available: a 3 knife quick-change, self-setting cutterblock system enables simple and accurate planer knife changes in seconds.

## **Overview and features**

Perfection in woodworking with the Hammer combination machine. See for yourself the precision and versatility of the Hammer Combi and observe just how easy it is to make a high class rocking chair using wood from the Black Locust tree.

See the benefit of a Silent-POWER cutterblock.

### **Auckland**

19 Allens Road, East Tamaki  
Auckland 2013  
Ph (09) 271 7700  
Fax (09) 271 7728

### **Christchurch**

159 Ferry Road, Waltham  
Christchurch 8011  
Ph (03) 366 2013  
Fax (03) 366 2021

**Call free: 0800 522 577**

Copyright © 2024 W & R Jack Limited.



## Specifications

<b>Motor</b>	3 x 3kW (4hp) single phase (3 ph avail)
<b>Weight</b>	540kg
<b>Thicknessing width</b>	306mm
<b>Knives</b>	Silent-Power spiral-knife block
<b>Maximum workpiece thickness</b>	225mm (thicknesser)
<b>Feed speed</b>	6m/min (thicknesser)
<b>Maximum cutting depth</b>	4mm (planer)
<b>Working width</b>	310mm (planer)
<b>Length of tables</b>	1400mm (planer)
<b>Saw blade Ø</b>	250 - 315mm
<b>Saw blade speed</b>	4800rpm (saw)
<b>Max. cutting height @ 90°</b>	103mm
<b>Rip capacity</b>	600mm
<b>Sliding table length</b>	800mm
<b>Spindle speeds</b>	3000 / 6000 / 8000 / 10,000rpm
<b>Spindle Ø</b>	30mm
<b>Spindle travel</b>	100mm
<b>Table opening Ø</b>	180mm max tool diameter
<b>Crosscut fence length</b>	900mm

Specs listed are for the standard model we offer, but Hammer offer a wide variety of options, so talk to us about customising a machine to suit you.

Specifications are subject to change without notice.