



The Felder CF 531 combi is a true all rounder of woodworking. It perfectly integrates performance, versatility, ease of use and solid build quality into one machine - all at an outstanding price.

It's amazing how seamlessly components are integrated in this machine, giving you the quickest possible conversion time and extreme ease of use. In such a small space you can carry out professional, planing, thicknessing, spindle, saw and even mortising work. With the CF 531 the sky is the limit.

Please note machine images may show optional equipment.

**Auckland**

19 Allens Road, East Tamaki  
Auckland 2013  
Ph (09) 271 7700  
Fax (09) 271 7728

**Christchurch**

159 Ferry Road, Waltham  
Christchurch 8011  
Ph (03) 366 2013  
Fax (03) 366 2021

Call free: 0800 522 577

Copyright © 2024 W & R Jack Limited.





### **Stable, precision and high-performance fence**

The planer fence: a masterpiece of engineering providing stability, precision and performance! The fence can be tilted with end-stops at 90° to 45°.



### **All Felder spindle moulders tilt 90°-45° as standard.**

Using the hand wheel the moulder spindle unit can be tilted back to the requested angle, easily and smoothly.



### **Long and heavy planer tables for excellent results**

Long, heavy tables give you ample room and stability for any task.

## **Overview and features**

See the benefit of a Silent-POWER cutterblock

### **Auckland**

19 Allens Road, East Tamaki  
Auckland 2013  
Ph (09) 271 7700  
Fax (09) 271 7728

### **Christchurch**

159 Ferry Road, Waltham  
Christchurch 8011  
Ph (03) 366 2013  
Fax (03) 366 2021

**Call free: 0800 522 577**

Copyright © 2024 W & R Jack Limited.



## Specifications

<b>Motor</b>	3 x 3kW (4hp) single phase (3 ph avail)
<b>Weight</b>	730kg
<b>Thicknessing width</b>	306mm
<b>Knives</b>	47 tips, Silent-POWER spiral block
<b>Maximum workpiece thickness</b>	220mm (thicknesser)
<b>Feed speed</b>	6m/min (thicknesser)
<b>Maximum cutting depth</b>	5mm (planer)
<b>Working width</b>	310mm (planer)
<b>Length of tables</b>	1500mm (planer)
<b>Saw blade Ø</b>	250 - 315mm
<b>Max. cutting height @ 90°</b>	102mm
<b>Rip capacity</b>	600mm
<b>Sliding table length</b>	1000mm
<b>Spindle speeds</b>	3000 / 6000 / 8000 / 10,000rpm
<b>Spindle Ø</b>	30mm
<b>Spindle travel</b>	100mm
<b>Table opening Ø</b>	180mm max tool diameter
<b>Crosscut fence length</b>	1300mm
<b>Dust extraction</b>	120mm

Specs shown are for the standard model we offer, but Hammer offer a wide variety of options, so talk to us about customising a machine to suit you.

Specifications are subject to change without notice.