Mafell A12 Cordless Drill Driver-





The cordless drill driver A12: the ergonomic one with extreme power! Smaller format, big performance.

Battery included, this compact cordless drill driver A12 raises eyebrows in its class in view of its exceptional output and clever functions. This handy, multi-talented machine is the ideal choice for all finishing tasks.

Advantages & features:

Optimal centre of gravity for fatigue-free working - no matter which attachment or battery is used Magnetic bit holder, on the side of the screwdriver - the recess prevents the bit from accidentally slipping off Spindle with 1/4" socket for direct pick-up of bits and quick-change accessories.

The switch enables sensitive metering for delicate work

Due to the excellent workmanship and the oval handle shape, the A 12 fits perfectly in the hand Bright LED light provides wide-area illumination of the working area without casting unfavourable shadows Maximum torque of 45 Nm makes the A12 a powerful all-rounder

20-stage torque preselection can be conveniently set via a click-stop function on the rotary wheel Including T-MAX (transport case)



Mafell A12 Cordless Drill Driver-





A12 Cordless Drill in T-MAX

1x cordless drill/driver A12 1x Quick-change drill chuck A-SBF10 1x Quick-change angle attachment A-SWV10 2x Battery-PowerTank 12M43 LiHD 1x Battery Power Station APS M 1x Belt clip 1x T-MAX



20 Torque settings

Easy to select with the locking collar



Bright LED lamp

The bright LED lamp illuminates a large working area without casting an inconvenient shadow

Overview and features

Technical data:

• Drill chuck clamping width: 10 mm

• Maximum drill diameter (wood/steel): 25 / 10 mm

Torque soft/hard: 18 / 45 Nm
Rated speed, 1st gear: 0 - 510 rpm
Rated speed, 2nd gear: 0 - 1710 rpm
Weight (incl. battery): 1.0 kg

Rated voltage: 12 VTorque steps: 20 + 1

• Vibrations (measured in metal/reinforced concrete): < 2.5 m/s²

Sound pressure level: 72 dB (A)
Sound power level (LwA): 83 dB (A)



Mafell A12 Cordless Drill Driver-



Specifications

Voltage rating 12V Weight 1kg

Technical data:

Drill chuck clamping width: 10 mm

Maximum drill diameter (wood/steel): 25 / 10 mm

Torque soft/hard: 18 / 45 Nm Rated speed, 1st gear: 0 - 510 rpm Rated speed, 2nd gear: 0 - 1710 rpm Weight (incl. battery): 1.0 kg

Rated voltage: 12 V Torque steps: 20 + 1

Vibrations (measured in metal/reinforced concrete): < 2.5 m/s²

Sound pressure level: 72 dB (A) Sound power level (LwA): 83 dB (A)

Specifications are subject to change without notice.

